


Achilles 90



ACHILLES. THE BEST OF BOATING.

Achilles continues to set the standards for inflatable boats in 1990. By any practical measure of quality, you cannot buy a better designed, better constructed or better performing inflatable. This is why Achilles boats are the first choice of so many marine research organizations, water rescue teams, professional divers, commercial fishermen and marine contractors. And this is why Achilles should also be your first choice for a practical dinghy, roomy tender or high-performance sportboat. Because our standards of quality are so high, we do not build special boats strictly for commercial use. We simply build recreational boats that are good enough to stand up to commercial use. In other words, we build the best boats we can, from our smallest dinghy to our largest utility boat.



THE BEST OF BOTH WORLDS.

A quality inflatable delivers the best of boating without the rest of boating – the pleasures of sportboating, skiing, diving or fishing without the pains of transporting, launching, storage and maintenance. And no inflatable delivers more than Achilles. Achilles boats are designed to be practical without sacrificing performance. So you enjoy the safety and convenience of an inflatable along with the excitement and handling of a rigid hull boat. No matter what your boating need, there's an Achilles designed to make it simpler and more enjoyable. With the best selection to choose from, you'll find an Achilles boat that's perfect for you, whether you're looking for a practical dinghy or tender, roomy dive boat, high performance sport or ski boat, or hard-working utility boat.

THE BEST REPUTATION.

The accolades for Achilles keep growing. Serious boaters are choosing Achilles over the competition more than ever before – and for good reason. In 1989, a five-year old Achilles dinghy withstood 14 days at sea, saving the life of a New Jersey woman adrift in the Atlantic. This is a strong testament to the design and durability of even the smallest Achilles boats. Also in 1989, over 170 Achilles boats were secured for the massive cleanup of the Alaskan oil spill. Achilles continues to be the boat of choice for prestigious marine research organizations such as the Cascadia Marine Research Collaborative and serves as the official support boat for the renowned research vessel MYSTIQUE. Those who must truly depend on a safe, reliable boat choose the best – Achilles.



Sportboating on the Colorado River.



In the Sea of Cortez with Navtec Expeditions.



Working on the Alaskan oil spill.




Close encounter with a Gray whale



At work on the IOGP circuit



An Achilles riverboat fights the rapids



"Doc" White, Mystique Captain

THE BEST BUILT, BEST-BACKED.

Achilles boats are better than they have to be because the standards each one must meet to bear the "Achilles" logo are much higher than they have to be. Every boat is made with the strongest seam construction in the industry and protected by the toughest Hypalon®-reinforced fabric. You'll always find features like extra air chambers or wider redundancy tubes on an Achilles you won't find on comparable competitor models. This is why our boats are backed by a strong warranty commitment and responsive service after the sale through our network of factory-authorized Achilles repair centers. This is just the final step in a quality control process that begins in the design stage and continues right through after the sale.

THE BEST INFLATABLES. PERIOD.

The more you know about inflatables, the better Achilles boats look. So don't just take our word for it. Ask inflatable owners. Read the reviews. See why Achilles boats lead the way in safety, fabric, design and performance. This is why our boats were rated first by an independent marine consumer publication for having the lowest incidence of repairs among all inflatables. Achilles boats are the best. Each year we raise the standard even more by investing time and money into ongoing research. Continually improving the best - that's the Achilles commitment to you.

THE BEST DESIGN AND FEATURES

Quality is evident in every feature on every Achilles boat; from small details such as the careful placement of safety hand grips to major innovations including the sophisticated floorboard and oar systems which Achilles introduced to the industry. Ride in an Achilles and you will really appreciate the superiority of design and features. You'll enjoy a better performing, more comfortable, drier boat. That's because we build more and better features into all our boats. Comparisons with other inflatables will prove it and our strong warranty guarantees it.



1. Achilles boats all come with carry bags. Larger boats have two to transport easily.



2. Every Achilles comes with a large volume foot pump for fast, easy inflation.



3. Achilles floorboards slide easily into position...



4. ...lock into place and are secure stringers.

A nylon or polyester core is reinforced with Hypalon® outside and two layers of Neoprene inside on all Achilles boats.




LOOK BEHIND THE SEAMS.

Seam construction on an inflatable is as important as fabric. If a seam fails, having the best fabric doesn't mean much. This is why we take extra steps to insure the strongest seams, and back them up with an unsurpassed full five-year warranty. We overlap all our seams a full inch and tape them inside and out to insure safety. Some manufacturers join seams end-to-end with no overlap and others use only outside seam tape.

OUR FABRIC RESISTS DAMAGE AND WELCOMES COMPARISON.

The fabric is the single most important factor in an inflatable boat and no one makes a tougher, more durable fabric than Achilles. Achilles boats are made with Hypalon®-reinforced fabric. Hypalon®, developed by Dupont, has proven to be the single best agent for resisting damage to inflatable boats from abrasions, oil, gasoline, warm salt water or ultraviolet rays. We use Hypalon® over a tough heavy-duty nylon or polyester core for maximum strength and toughness. The inside of our fabric is coated with two layers of Neoprene because this elastomer has proven to be more airtight than Hypalon®. This guarantees that our boats will remain fully inflated longer, even in extreme temperatures. The result is a multi-layered fabric offering superior strength and toughness on the outside, and unsurpassed air retention inside. So Achilles boats not only hold air longer, they *last* longer. These costly, time-consuming steps are taken to insure unsurpassed quality and safety. Achilles quality control personnel inspect each boat that goes through - not once, but at every stage of production. A final inspection is made of each of the boats before packaging. This means that consumers can expect a trouble-free inflatable right out of the box.



Achilles boats all offer multiple air chambers for extra safety.

MORE AIR CHAMBERS MEAN MORE SAFETY.

In direct comparisons with competing models, you'll see that Achilles boats usually have at least one more air chamber. Not only is this an obvious safety feature, it also increases the buoyancy and loading capacity of Achilles boats. Just another extra step Achilles takes to produce the world's best inflatables.


FIVE YEAR WARRANTY ON FABRIC & SEAMS
 WE BACK OUR CLAIM TO HAVING THE BEST FABRIC AND
 CONSTRUCTION IN THE INDUSTRY WITH A STRONG
 WARRANTY COMMITMENT.



Fiberglass transoms with motor pads are featured on most Achilles sportboats.



A heavy-duty stainless steel towing ring and bow camping handle are standard on Achilles sportboats and sport dinghies.



Achilles inflatables are designed to provide stability far superior to rigid hull boats.



with



5. The job is done in minutes and you're ready for fun!

VALVES THAT CHECK THEMSELVES.

The valves on all Achilles boats are double-capped for safety. These one-way "check" valves allow for fast inflation while making it impossible for air to escape. Completely non-corrosive, they also make deflation a breeze when both caps are removed.



A deep "V" inflatable keel helps Achilles sportboats and sport dinghies maneuver well.



A DESIGN THAT INSURES STABILITY AND PERFORMANCE.

Every Achilles boat is custom-designed through our advanced CAD (Computer-aided Design) system to insure the optimum ratio among length, beam, tube diameter and load capacity. This means that Achilles boats are produced in the ideal proportion to insure stability and performance. Each model, even within the same series, is different. This is not the case with some manufacturers who produce standard tube diameters for a number of different models.

MORE IN THE FLOOR.

Aluminum, wood, roll-up... Achilles has the right floor system for each of our boats. Our advanced, self-locking systems go in easily and provide a rigid floor for comfortable boating. Combined with the inflatable deep "V" keels on Achilles sportboats and sport dinghies, our floor systems stay firmly in place and help Achilles boats carry heavy loads while still providing sportboat performance. The roll-up floor system in some of our dinghy models provides the ultimate in convenience and portability.



THE FEATURES GO ON AND ON.


The attention to small detail at Achilles means more and better features on every boat. Larger boats have well-placed lifting handles to make launching easier and come with two carry bags for easier transporting and storing when stowed. Every boat comes with high-volume foot bellows for faster inflation. Many boats have reinforced step guards to protect the boats and provide sure footing when boarding. All come with grab lines which make it easier to enter the boat from the water. Some have "tear drop" rubbing strakes which not only add extra protection against docks, pilings, rocks, etc., but which also turn spray away from the inside of the boat for a drier ride. The list goes on and on. You won't find a better-equipped inflatable.

ADDITIONAL FEATURES FOUND ON MOST ACHILLES BOATS.

- REMOVABLE BOWDODGERS for a drier ride and dry gear storage.
- FUEL TANK TIE DOWNS to keep gasoline tanks from moving about.
- TOWING RINGS and BOW RINGS for easy towing and tie-up.
- PAINTER LINES for easy tie-up.
- ALUMINUM MOTOR PADS on transom models to protect transoms and prevent engine "ride-up."
- REINFORCED RUBBING STRIP to provide extra protection all around the boat.
- MULTI-PURPOSE INTERIOR RINGS for securing "hold-alls" and other items.
- WOOD or INFLATABLE SEATS for extra comfort.
- MAINTENANCE KITS.

OUR OAR SYSTEM IS THE SOLUTION.

Virtually all Achilles boats come equipped with the most advanced oar system in the industry. One we invented and perfected. This fold-down, locking system keeps oars securely alongside the buoy-tubes when not in use. This keeps them from flopping around when the boat is moving and out-of-the-way during boarding. Our two-piece aluminum oars lock in place for rowing which eliminates the possibility of losing an oar overboard. Most of our boats also come fully-equipped with the ideal seat or seats to make rowing any Achilles as easy as possible.



SPORT GRAND (SG) SERIES

Achilles' newest, feature-packed sportboats are even better in 1990. Our SG boats have been designed with a roomy bow configuration and trigon air keel for a deeper "V" Hull. The result is a fast-planing, high-performance sportboat that can carry lots of gear, making it ideal for skiing, fishing or diving as well as all-around sportboating fun.

In addition to the square, raised bow design and extended floorspace, all SG boats boast non-slip, non-corrosive locking aluminum floorboards and fiberglass transoms with a heavy-duty transom plate outside and motor pads inside to handle large horsepower motors. There's also a "teardrop" rub rail around the entire length of the boat which deflects spray for a drier ride. And naturally, it offers Achilles' advanced fold-down, locking oar system (except on the SG-156) and all the other great Achilles standard features.


Practical, tough and fast - you won't find an inflatable sportboat that delivers more excitement!



SG-156



Standard features include: roomier bow configuration; trigon air keel; aluminum self-locking floorboards and stringers system; fiberglass transom with motorplate; fuel tank tie-down; self-bailer valve; full-length teardrop rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders (except 156); bow carry handle; towing bridle; lift & carry handles; high speed helmsman's grip; full-length splash guard with life lines; removable bow spraydodger; bowholdall fitting points; cushion and backseat fitting points; bow deck fitting points; large non-corrosive check valves; high-volume large foot pump; double-carry bag system; deluxe maintenance kit.



SG-140

	SG-124
LENGTH OVERALL INSIDE	12'4" (375 cm.) 8'11" (272 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)
STOWED BOAT	4'1" x 2'2" x 1'2" 125 x 67 x 36 cm.
STOWED FLOOR	3'1" x 2'2" x 6" 93 x 67 x 16 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	175 lbs. (79.5 kg.)
LOADING CAPACITY	1,470 lbs. (670 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black /Lt. Grey or Red
	SG-140
LENGTH OVERALL INSIDE	14'0" (425 cm.) 10'0" (305 cm.)
BEAM OVERALL INSIDE	5'9" (175 cm.) 2'9" (85 cm.)
STOWED BOAT	4'6" x 2'2" x 1'2" 137 x 67 x 36 cm.
STOWED FLOOR	3'5" x 2'6" x 8" 104 x 75 x 19 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	221 lbs. (100.5 kg.)
LOADING CAPACITY	1960 lbs. (890 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black /Lt. Grey or Red
	SG-156
LENGTH OVERALL INSIDE	15'6" (473 cm.) 10'11" (333 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 76 x 19 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	264 lbs. (120 kg.)
LOADING CAPACITY	2,820 lbs. (1,280 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Black /Lt. Grey or Red

SPORT KNIGHT (SK) SERIES

Add some luxury features to our super popular SD Sportboat series and you have the exciting SK line. These high-performance sportboats provide all the room and superb handling you expect from a quality inflatable, plus many Achilles "extras" which are ideal for serious boaters who must depend on a reliable inflatable.

New for 1990 is a trigon air keel for a deeper "V" hull and superior maneuverability. The rugged aluminum floorboards provide great traction, resist damage from gear, chemicals or the elements and are virtually maintenance-free. Fiberglass transoms, removable spray dodger and a host of other standard features combine to make SK boats as comfortable and practical as they are exciting.


If you're looking for a complete inflatable sportboat, make a Knight out of it!



SK-140



Standard features include: trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with motorplate; fuel tank tie-down; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two piece breakdown aluminum oars & oar holders (except 156); bow carry handle; towing bridle; lift & carry handles; high-speed helmsman's grip; full-length splash guard with life-lines; removable bow spraydodger; bowholdall fitting points; cushion and backseat fitting points; bow deck fitting points; large non-corrosive check valves; high-volume large foot pump; double-carry bag system; deluxe maintenance kit.



	SK-124
LENGTH OVERALL INSIDE	12'4" (375 cm.)
	7'9" (235 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.)
	2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1'2"
	123 x 55 x 36 cm.
STOWED FLOOR	3' x 2' x 6"
	93 x 60 x 16 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	156 lbs. (71 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black
	SK-140
LENGTH OVERALL INSIDE	14'0" (425 cm.)
	8'8" (265 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.)
	2'7" (77 cm.)
STOWED BOAT	4'5" x 2'2" x 1'
	135 x 65 x 31 cm.
STOWED FLOOR	3'1" x 2'2" x 7"
	95 x 65 x 19 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	195 lbs. (88.5 kg.)
LOADING CAPACITY	1,940 lbs. (880 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black
	SK-156
LENGTH OVERALL INSIDE	15'6" (473 cm.)
	9'6" (290 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.)
	3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2"
	152 x 71 x 36 cm.
STOWED FLOOR	3'7" x 2'6" x 8"
	110 x 75 x 19 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	250 lbs. (113 kg.)
LOADING CAPACITY	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Black

SPORT DELUXE (SD) SERIES

Our SD models are our most popular sportboats because they are versatile enough to handle virtually any boating need. Their roominess and stability make them a favorite with divers and fishermen while their performance and maneuverability make them popular with recreational boaters of all types.

SD Sportboats deliver an array of standard features not found on other inflatables. Major features such as an inflatable deep "V" trigon keel, fiberglass transom and sophisticated oar system are complemented by a range of subtle features designed to make these boats as comfortable and practical as possible – fuel tank tie-downs, two-carry bag system so one person can carry a stowed boat, full-length splash guard for a dry ride, bailer valves to empty water automatically while underway and extra carry handles for easy launching and retrieving.

If you're looking for an inflatable that does everything, you need the one that has everything – the Achilles SD Sportboat.



SD-124



Standard features include: trigon air keel; non-skid, self-locking wood floorboards with aluminum stringers system; fiberglass transom with motorplate; fuel tank tie-down; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders (except 156); bow carry handle; towing bridle; lift & carry handles; high-speed helmsman's grip; full-length splash guard with lifelines; removable bow spraydodger; bowholdall fitting points; cushion and backseat fitting points; bow deck fitting points; large non-corrosive check valves; high-volume large foot pump; double-carry bag system; deluxe maintenance kit.



	SD-124
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1'2" 123 x 55 x 36 cm.
STOWED FLOOR	3' x 1'11" x 5" 92 x 59 x 13 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	149 lbs. (67.5 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Grey
	SD-130
LENGTH OVERALL INSIDE	13'2" (400 cm.) 8'3" (250 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.) 2'7" (77 cm.)
STOWED BOAT	4'5" x 2' x 1" 135 x 61 x 31 cm.
STOWED FLOOR	3'1" x 2' x 6" 94 x 61 x 15 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	166 lbs. (75.5 kg.)
LOADING CAPACITY	1,910 lbs. (870 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Blue/Black
	SD-140
LENGTH OVERALL INSIDE	14'0" (425 cm.) 8'8" (265 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.) 2' 7" (77 cm.)
STOWED BOAT	4'5" x 2'2" x 1" 135 x 65 x 31 cm.
STOWED FLOOR	3'1" x 2'2" x 6" 94 x 65 x 15 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	189 lbs. (86 kg.)
LOADING CAPACITY	1,940 lbs. (880 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Grey
	SD-156
LENGTH OVERALL INSIDE	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.
STOWED FLOOR	3'7" x 2'5" x 6" 109 x 73 x 15 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	240 lbs. (109 kg.)
LOADING CAPACITY	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Red, Grey

SPORT ECONOMY (SE) SERIES

Our SE series boats are built to be the most convenient, full-size inflatable sportboats on the market. They are lightweight for maximum portability while still providing the unsurpassed strength provided by our Hypalon[®]-reinforced nylon fabric. With two carry bags, one person can easily take these boats anywhere, but once inflated each SE boat carries up to five people and handles loads over 1,000 pounds. On the water, the performance is still vintage Achilles with superb sportboat handling and maneuverability.


You'll find all the major features Achilles sportboats are famous for packed into these versatile SE boats: inflatable "V" keel for better maneuverability; advanced oar system for easy rowing; full-length, locking floorboard system; and non-corrosive check valves for easy inflation and fast deflation.

Either as a large tender or all-around fun boat, Achilles SE Sportboats are a great value.



SE-12

Standard features include: air keel; self-locking wood floorboards with stringers system; wood transom with motorplate; fuel tank tie-down; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; lift & carry handles; high-speed helmsman's grip; lacing cuff with life lines; stepguard on tube; removable bow spraydodger; bowholdall fitting points; cushion and backrest fitting points; large non-corrosive check valves; high-volume foot pump; double-carry bag system; deluxe maintenance kit.



	SE-11
LENGTH OVERALL INSIDE	11'0" (335 cm.) 7'1" (215 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)
STOWED BOAT	3'7" x 1'11" x 1' 110 x 59 x 30 cm.
STOWED FLOOR	3'2" x 1'8" x 4" 96 x 50 x 10 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	105 lbs. (47.5 kg.)
LOADING CAPACITY	1,100 lbs. (500 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	9.9 (6-15) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red or Blue
	SE-12
LENGTH OVERALL INSIDE	12'0" (365 cm.) 7'8" (232 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1' 123 x 55 x 30 cm.
STOWED FLOOR	3'3" x 1'10" x 5" 99 x 57 x 13 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	121 lbs. (55 kg.)
LOADING CAPACITY	1,190 lbs. (540 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	15 (4-25) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red or Blue



HARD BOTTOM (HB) SERIES

The best of both worlds! The "Made-in-the-USA" Achilles HB series combines the safety, stability and portability of an inflatable with the performance of a deep "V" rigid hull boat. The growing popularity of our rigid hull boats has led to the addition of a brand new model for 1990! Joining the HB-90 and HB-100 is the HB-140 – an exciting inflatable with a deeper rigid hull for true sportboat performance. Combined with the compact, square-bowed HB-90 and the sleek, sporty HB-100, the HB-140 provides boaters with a complete range of rigid-hull inflatable options to meet any need, from a sporty tender to high performance sportboat.

All our fiberglass-bottom models still offer a host of great Achilles features, including fold-down, locking oar systems and removable bow spraydodgers (except the HB-140). Terrific tenders, sensational sportboats – Achilles has the best rigid hull options you'll find.




HB-90



Standard features include:
layered, deep "V" fiberglass hull & transom; roomier bow configuration; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; towing eye-bolt with painter line; lift & carry handles; life lines; removable wood rowing seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit.




HB-100



	HB-90
LENGTH OVERALL	8'10" (270 cm.)
INSIDE	6'8" (203 cm.)
BEAM OVERALL	4'9" (145 cm.)
INSIDE	2'6" (75 cm.)
TUBE DIAMETER	14" (35 cm.)
WEIGHT	85 lbs. (38.5 kg.)
LOADING CAPACITY	750 lbs. (340 kg.)
PERSON CAPACITY	3
MAXIMUM H.P.	8.0 Standard shaft
NO. OF AIR CHAMBERS	3
COLOR	Blue or Lt. Grey
	HB-100
LENGTH OVERALL	10'2" (310 cm.)
INSIDE	7'7" (230 cm.)
BEAM OVERALL	4'10" (146 cm.)
INSIDE	2'4" (70 cm.)
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	118 lbs. (54 kg.)
LOADING CAPACITY	920 lbs. (420 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3
COLOR	Lt. Grey/Red
	NEW FOR 1990 HB-140*
LENGTH OVERALL	14'0" (425 cm.)
INSIDE	11'7" (353 cm.)
BEAM OVERALL	5'9" (175 cm.)
INSIDE	2'9" (85 cm.)
TUBE DIAMETER	18.0" (45 cm.)
WEIGHT	323 lbs. (147 kg.)
LOADING CAPACITY	1960 lbs. (890 kg.)
PERSON CAPACITY	6
MAXIMUM H.P.	35 (9.9-55) long shaft
NO. OF AIR CHAMBERS	4
COLOR	Lt. Grey/Red

*Available March 1990.



Standard features include:
 layered, deep "V" fiberglass hull & transom; roomier bow configuration; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; towing bridle & eye-bolt with painter line; lift & carry handles; life lines; removable wood rowing seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit.



HB-140

Standard features include:
 layered, deep "V" fiberglass hull & transom; roomier bow configuration; bailer valves; full-length rubbing strake; full-length splash guard with life lines; eye-bolt with painter line; bow deck fitting points; large non-corrosive check valves; high-volume large foot pump; deluxe maintenance kit.

GRAND TENDER (GT) SERIES

The luxury tender that's much more than a tender! In addition to being roomy, reliable support boats, GT boats are packed with our top sportboat features making them as fun as they are practical. So these sport tenders are as exciting as they look with their distinctive red and grey color combination.

Achilles GT boats are the smallest inflatables on the market with aluminum floorboards as standard equipment. Non-corrosive and maintenance-free, these sturdy floor systems provide superior traction and resist damage from gasoline or the elements. Large tube diameters permit large carrying capacities, a square bow design allows more storage space and a trigon air keel delivers better maneuverability. The fiberglass transoms provide low maintenance and maximum strength.

Our GRAND Tenders really live up to their name!



GT-11



Standard features include: trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with motorplate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; lift & carry handles; high-speed helmsman's grip; lacing cuff with life lines; removable bow spraydodger; inflatable rowing thwart seat; large non-corrosive check valves; high-volume large foot pump; carry bag; deluxe maintenance kit.



	GT-10
LENGTH OVERALL	10'2" (310 cm.)
INSIDE	7'6" (228 cm.)
BEAM OVERALL	4'10" (146 cm.)
INSIDE	2'4" (70 cm.)
STOWED BOAT	3'7" x 1'11" x 1'2" 110 x 59 x 35 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	117 lbs. (53 kg.)
LOADING CAPACITY	1,030 lbs. (470 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red/Grey
	GT-11
LENGTH OVERALL	11'0" (335 cm.)
INSIDE	8'1" (245 cm.)
BEAM OVERALL	5'0" (152 cm.)
INSIDE	2'5" (72 cm.)
STOWED BOAT	3'10" x 1'11" x 1'1" 116 x 58 x 34 cm.
STOWED FLOOR	2'11" x 1'11" x 5" 89 x 59 x 11.5 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	122 lbs. (55.5 kg.)
LOADING CAPACITY	1,280 lbs. (580 kg.)
PERSON CAPACITY	5
MAXIMUM H.P.	20 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red/Grey

SPORT DINGHY (SPD) SERIES

The most popular Achilles boats ever made! Our classic SPD-FL series, which celebrated its 10th anniversary in 1989, has become a favorite among serious boaters for its practicality and reliability. These steady tenders were joined by our SPD-AD models several years ago for boaters seeking more sporty features in addition to the basic elements which have made the SPD series so popular.

Both SPD series offer the important features you need in a reliable tender as standard equipment: removable rowing thwart and wooden seat for flexible, comfortable seating; our famous oar system for easy rowing; towing bridles for efficient towing; and rubbing strips to protect larger boats. Plus the AD series has an extra heavy-duty fabric – the same as our high performance sportboats – fiberglass transom and aluminum floorboard battens.

Achilles Sport Dinghies – proven reliable over the years by people whose safety and comfort depend on it!



SPD-4AD

Standard features include: air keel; self-locking floorboards with aluminum stringers system; fiberglass transom with motorplate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; towing bridle; lift & carry handles (except 2AD); high-speed helmsman's grip; life lines; velcro-attached wood seat; inflatable rowing thwart seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; carry bag; deluxe maintenance kit.





SPD-4FL



Standard features include: air keel; self-locking floorboards with plastic stringers system; wood transom with motorplate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; towing bridle; lift & carry handles (except 2FL); high-speed helmsman's grip; life lines; velcro-attached wood seat; inflatable rowing thwart seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.

	SPD-2AD
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)
STOWED BOAT	3'5" x 2' x 1' 104 x 60 x 31 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	75 lbs. (34 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)
PERSON CAPACITY	2/3
MAXIMUM H.P.	6.0 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Blue or Lt. Grey

	SPD-4AD
LENGTH OVERALL INSIDE	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'10" x 1'10" x 1' 117 x 57 x 31 cm.
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	95 lbs. (43 kg.)
LOADING CAPACITY	990 lbs. (450 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Blue or Lt. Grey

	SPD-2FL
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)
STOWED BOAT	3'4" x 2' x 11" 102 x 60 x 28 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	70 lbs. (31.5 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)
PERSON CAPACITY	2/3
MAXIMUM H.P.	6.0 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Lt. Grey

	SPD-4FL
LENGTH OVERALL INSIDE	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'7" x 1'10" x 11" 110 x 57 x 29 cm.
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	85 lbs. (39.5 kg.)
LOADING CAPACITY	1,010 lbs. (460 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	8.0 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Lt. Grey

	SPD-5FL
LENGTH OVERALL INSIDE	10'11" (332 cm.) 7'3" (221 cm.)
BEAM OVERALL INSIDE	5'0" (152 cm.) 2'4" (72 cm.)
STOWED BOAT	3'10" x 1'11" x 1'1" 116 x 58 x 33 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	100 lbs. (46 kg.)
LOADING CAPACITY	1,170 lbs. (530 kg.)
PERSON CAPACITY	5
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Lt. Grey

LIGHT SPORT (LS) DINGHY SERIES

Proportionately larger tube diameters make these sport dinghies more compact without sacrificing load capacity. So they're dependable, hard-working tenders for small and medium-sized boats. Their larger tubes and multiple air chambers also make them exceptionally safe, stable boats that families can take anywhere. And their extra stability makes them great for fishing or hunting.


Like all Achilles boats, their Hypalon®-reinforced fabric makes them exceptionally tough. Built with safety and hard-work in mind, an air keel and full-length floorboards still allow for great handling. Their square bow design affords extra room. And naturally, the advanced Achilles rowing system – secured oars, fold-up oarlocks, inflatable rowing seat – makes rowing easy and comfortable.

If you're looking for a safe, reliable and hard-working boat to use as a tender or family fun boat, look no further!



LS-4

Standard features include: air keel; self-locking floorboards with plastic stringers; wood transom with motorplate; self-bailer valve; full-length rubbing strake; fold-down, locking oar system with two-piece breakdown aluminum oars & oar holders; towing bridle; life lines; inflatable rowing thwart seat; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.



	LS-2
LENGTH OVERALL INSIDE	7'6" (228 cm.) 5'2" (156 cm.)
BEAM OVERALL INSIDE	4'4" (132 cm.) 2'0" (62 cm.)
STOWED BOAT	3'3" x 1'10" x 10" 98 x 55 x 25 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	56 lbs. (25.5 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Red or Blue
	LS-4
LENGTH OVERALL INSIDE	8'6" (260 cm.) 6'1" (185 cm.)
BEAM OVERALL INSIDE	4'8" (142 cm.) 2'2" (66 cm.)
STOWED BOAT	3'5" x 1'10" x 10" 103 x 55 x 26 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	67 lbs. (30.5 kg.)
LOADING CAPACITY	860 lbs. (390 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	6 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Red or Blue
	LS-4GX
LENGTH OVERALL INSIDE	9'6" (290 cm.) 6'9" (205 cm.)
BEAM OVERALL INSIDE	4'8" (142 cm.) 2'2" (66 cm.)
STOWED BOAT	3'3" x 2' x 1' 100 x 60 x 30 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	73 lbs. (33 kg.)
LOADING CAPACITY	950 lbs. (430 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	8 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red or Blue



LIGHT SPORT ROLLUP (LSR) SERIES

Take the great features of our Light Sport boats, add the convenience of a rollup floor and you have our popular LSR series. We've answered the demand for a safe, practical and roomy tender for smaller boats where space is at a premium. We've also created the ideal boat for active families since LSR boats fold flat and fit easily in campers, trailers or even car trunks. These tough, compact models assemble and deflate in minutes and can't be beat for ease in storing or transporting.

Multiple air chambers, wide tube diameters and tough, Hypalon[®]-reinforced fabric combine safety with convenience on these sturdy boats. The fold-down, locking Achilles oar system and built-in wooden seat make rowing easy. And even with their rollup floor systems, they still offer substantial load capacities.

If you're looking for a roomy, practical tender for your smaller power or sailboat, or for a safe family fun boat that goes anywhere easily, the LSR is for you!



LSR-4



Standard features include: rollup wood floor; wood transom with motor-plate; self-bailing valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; life lines; built-in wood rowing seat; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.



LIGHT SPORT INFLATABLE FLOOR (LSI) SERIES

LSR & LSI

Brand new for 1990 is the LSI-4 – a truly portable version of our popular LS series. Designed for those who want to enjoy boating but want a safe boat that is as easy as possible to transport or store. With its removable inflatable floor, the LSI-4 is perfect for RV, camper and trailer owners.

This new boat is made with a new bow configuration and the same Hypalon®-reinforced fabric as our other boats. It offers all the same great LS features such as wood transom with motor plate, rubbing strake and fold-down, locking oar system. But its inflatable floor makes it even easier to assemble, carry, transport or store virtually anywhere!

	LSR-2
LENGTH OVERALL INSIDE	7'6" (228 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.)
STOWED BOAT	3'3" x 1'8" x 10" 100 x 50 x 24 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	44 lbs. (20 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Red
	LSR-4
LENGTH OVERALL INSIDE	9'0" (275 cm.)
BEAM OVERALL INSIDE	4'9" (145 cm.)
STOWED BOAT	3'5" x 1'8" x 10" 105 x 52 x 25 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	54 lbs. (24.5 kg.)
LOADING CAPACITY	900 lbs. (410 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	4 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Red
NEW FOR 1990	LSI-4
LENGTH OVERALL INSIDE	8'8" (265 cm.)
BEAM OVERALL INSIDE	4'8" (141 cm.)
STOWED BOAT	3'6" x 1'8" x 10" 106 x 50 x 25 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	51 lbs. (23 kg.)
LOADING CAPACITY	680 lbs. (310 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	4 Standard shaft
NO. OF AIR CHAMBERS	2 (plus inflatable floor)
COLOR	Lt. Grey/Grey



LSI-4



Standard features include: removable inflatable floor; wood transom with motorplate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; life lines; built-in wood rowing seat; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.

LIGHT TENDER (LT) & LIGHT TENDER DELUXE (LT-DX)

Our LT-DX series answers the demand for economy and convenience in a tender that still provides peace-of-mind. Built tough with the same demanding safety requirements of all Achilles boats, these sturdy dinghies offer the convenience of a rollup, wood floor with the durability of a tough, Hypalon®-reinforced fabric. Our smallest and most economical model, the LT-2, with fold-up wood floorboards, has the same tough fabric and offers the same limited, five-year warranty as all Achilles boats. Proof that we take quality seriously in all our boats.

All LT and LT-DX boats offer the ultimate in practical rowing convenience with the Achilles oar system. Oars fold down and lock out of the way when not in use. When rowing, two-piece aluminum oars are capped in place to avoid any risk of losing them. Wood rowing seats are standard. For safety, all LT series dinghies have at least two separate air chambers.

Lightweight wonders that store virtually anywhere without sacrificing anything in terms of safety – LT boats are the best value you'll find in an economical dinghy.



LT-4DX

Standard features include: rollup wood floor; motor mount; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; towing bridle; life lines; built-in wood rowing seat; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.





LT-2

Standard features include: wood floor; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars; bow carry handle; life lines; built-in wood rowing seat; large non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.

	LT-2
LENGTH OVERALL INSIDE	7'1" (215 cm.) 5'3" (159 cm.)
BEAM OVERALL INSIDE	4'0" (120 cm.) 2'0" (60 cm.)
STOWED BOAT	2'7" x 1'6" x 9" 79 x 46 x 24 cm.
TUBE DIAMETER	12" (30 cm.)
WEIGHT	36 lbs. (16.5 kg.)
LOADING CAPACITY	550 lbs. (250 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	2 Standard shaft
NO. OF AIR CHAMBERS	2
COLOR	Red
	LT-3DX
LENGTH OVERALL INSIDE	8'4" (255 cm.) 6'3" (191 cm.)
BEAM OVERALL INSIDE	4'1" (125 cm.) 2'0" (61 cm.)
STOWED BOAT	3'2" x 1'6" x 1' 97 x 47 x 30 cm.
TUBE DIAMETER	13" (32 cm.)
WEIGHT	43 lbs. (19.5 kg.)
LOADING CAPACITY	700 lbs. (320 kg.)
PERSON CAPACITY	3
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Blue
	LT-4DX
LENGTH OVERALL INSIDE	9'0" (275 cm.) 6'9" (205 cm.)
BEAM OVERALL INSIDE	4'7" (140 cm.) 2'3" (68 cm.)
STOWED BOAT	3'6" x 1'8" x 1' 106 x 50 x 30 cm.
TUBE DIAMETER	14.2" (36 cm.)
WEIGHT	51 lbs. (23 kg.)
LOADING CAPACITY	950 lbs. (430 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	4 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Blue

SPORT HEAVY-DUTY (SH) & SPORT UTILITY (SU) BOATS

Both SH and SU boats are built tough to work hard for rugged private and commercial use. SH boats offer the same functional design and superior sportboat performance as our popular SD recreational sportboat series, but are built with an additional heavy-duty layer of 840-denier nylon fabric to essentially double their fabric strength. This same two-ply technique, which results in a core fabric actually stronger than a single base fabric of equal thickness, is used on our SU boats. These boats are designed from the start to be tough, durable work and utility boats.

The features found on SH and SU boats combine to offer the inherent advantages of an inflatable with the requirements of tough, commercial use. Non-slip, aluminum floorboards and fiberglass transoms are standard on both series. Deep "V" inflatable keels allow for maximum maneuverability with heavy loads under all kinds of conditions. The square bow design of the SU translates into extra space for gear and equipment. And, naturally, both feature the exterior strength of Hypalon® to resist damage from gasoline, oil, abrasions and other hazards of industrial use.

If your needs run to commercial or rugged personal use, choose the boats selected by commercial users the world over for their strength, durability and reliability.



SH-156



Standard features include: toughest double (840 denier each) nylon core fabric; trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with motorplate; fuel tank tie-down; self-bailer valves; full-length teardrop rubbing strake; tie-down straps for paddles; bow carry handle; towing bridle; lift & carry handles; high-speed helmsman's grip; full-length splashguard with life lines; removable bow spraydodger; bowholdall fitting points; extra tie-down D-rings; bow deck fitting points; large non-corrosive recessed valves; high-volume large foot pump; double-carry bag system; deluxe maintenance kit.



	SH-156	SH-170
LENGTH OVERALL INSIDE	15'6" (473 cm.) 9'6" (290 cm.)	17'0" (518 cm.) 10'6" (320 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 2'11" (90 cm.)	6'11" (210 cm.) 3'3" (100 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.	5'4" x 2'7" x 1'5" 162 x 79 x 42 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 75 x 19 cm.	4' x 2'10" x 8" 122 x 86 x 19 cm.
TUBE DIAMETER	20" (50 cm.)	22.0" (55 cm.)
WEIGHT	275 lbs. (125 kg.)	340 lbs. (155 kg.)
LOADING CAPACITY	2,710 lbs. (1,230 kg.)	3,590 lbs. (1,630 kg.)
PERSON CAPACITY	8	10
RECOMMENDED H.P.	35 (9.9-55) Standard shaft	40 (20-65) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel	5 plus air keel
COLOR	Grey	Grey

	SU-18
LENGTH OVERALL INSIDE	18'0" (549 cm.) 12'0" (366 cm.)
BEAM OVERALL INSIDE	7'7" (230 cm.) 3'7" (110 cm.)
STOWED BOAT	6'4" x 3'4" x 1'7" 192 x 102 x 48 cm.
STOWED FLOOR	4'4" x 3'1" x 8" 133 x 95 x 19 cm.
TUBE DIAMETER	24.0" (60 cm.)
WEIGHT	400 lbs. (182.5 kg.)
LOADING CAPACITY	4,660 lbs. (2,120 kg.)
PERSON CAPACITY	15
RECOMMENDED H.P.	50 (25-90) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Grey or Red

	SU-16
LENGTH OVERALL INSIDE	16'0" (488 cm.) 10'10" (330 cm.)
BEAM OVERALL INSIDE	6'9" (206 cm.) 3'3" (100 cm.)
STOWED BOAT	5'8" x 2'10" x 1'4" 172 x 87 x 40 cm.
STOWED FLOOR	3'11" x 2'9" x 8" 120 x 85 x 19 cm.
TUBE DIAMETER	21.0" (53 cm.)
WEIGHT	360 lbs. (162.5 kg.)
LOADING CAPACITY	3,210 lbs. (1,460 kg.)
PERSON CAPACITY	10
RECOMMENDED H.P.	40 (20-75) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Grey or Red

	SU-14 *
LENGTH OVERALL INSIDE	14'0" (425 cm.) 9'3" (282 cm.)
BEAM OVERALL INSIDE	5'10" (178 cm.) 2'8" (82 cm.)
STOWED BOAT	5'4" x 2'5" x 1'5" 162 x 74 x 42 cm.
STOWED FLOOR	3'4" x 2'5" x 8" 101 x 75 x 19 cm.
TUBE DIAMETER	19.0" (48 cm.)
WEIGHT	270 lbs. (123 kg.)
LOADING CAPACITY	2,090 lbs. (950 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	30 (9.9-55) Long shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Grey or Red

	SU-20
LENGTH OVERALL INSIDE	20'0" (610 cm.) 14'0" (425 cm.)
BEAM OVERALL INSIDE	8'4" (255 cm.) 4'1" (125 cm.)
STOWED BOAT	6'11" x 3'7" x 1'6"*** 210 x 110 x 45 cm.
STOWED FLOOR	4'9" x 3'1" x 8"*** 145 x 95 x 20 cm.
TUBE DIAMETER	26" (65 cm.)
WEIGHT	550 lbs. (250 kg.)**
LOADING CAPACITY	5500 lbs. (2500 kg.)**
PERSON CAPACITY	18**
MAXIMUM H.P.	60 (35-115) Long shaft
NO. OF AIR CHAMBERS	6 (plus air keel)
COLOR	Grey

*Not available in U.S. or Canada.

**Estimated specifications



SU-16



wood seat optional

Standard features include: roomier bow configuration; toughest double (840 denier each) nylon core fabric; trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with aluminum plate (exterior) & motor pad (interior); fuel tank tie-down; large self-bailer (duck bill type); extra-wide, heavy-duty, full-length teardrop rubbing strake; tie-down straps for paddles; bow carry handle; towing bridle; lift & carry handles; splash guard with life lines; heavy-duty reinforcement cargo wear patch all around; extra tie-down D-rings; large non-corrosive recessed valves; two (2) high-volume large foot pumps; deluxe maintenance kits.

ALSO FROM ACHILLES

RIVERBOATS

Achilles also produces a complete line of advanced riverboats with models for professional outfitters, serious river runners and recreational boaters. All loaded with features designed to help you get the most out of any whitewater experience. Brand new for 1990 is a self-bailing series with a lace-in inflatable floor. Call or write for the Achilles Riverboat catalog.




FOUL WEATHER GEAR

Good news for bad weather! Our growing line of stylish and technically advanced foul weather gear has more great products to choose from than ever before! All providing 100% waterproof protection and made with the latest fabric innovations, including a Hypalon®-reinforced fabric! Choose from traditional foul weather suits with chest-high trousers in both regular and lightweight versions, or new lightweight suits with waist-high pants for more comfortable protection. Also available are colorful all-weather jackets which look great anywhere! Call or write for the Achilles foul weather catalog.



INFLATABLE KAYAKS

The most fun you'll ever have in whitewater! Achilles' new one and two-man inflatable kayaks make it easy to get into whitewater boating or calm water paddle sports. Stable, maneuverable and forgiving, Achilles kayaks can handle challenging rapids, waves or holes. Made with Hypalon® for durability and a removable inflatable floor for comfort and extra bouyancy, they are lightweight and compact enough to be easily backpacked...Call or write for more information.



1990 ACHILLES MODEL SPECIFICATIONS

MODEL	LOA (INSIDE)	BOA (INSIDE)	TUBE DIA.	HP RATING	WEIGHT	LOAD CAP.	PERSON CAP.	TYPE OF FLRBDS.	TYPE OF TRANSOM	NO. AIR CHAMBERS	TYPE SEATING
SG Series = Sport Grand											
SG-124	12'4" (8'11")	5'4" (2'6")	17"	20 (6-35)	175 lbs.	1470 lbs.	5	Alumi	FRP	4+ Air Keel	Optional
SG-140	14'0" (10'0")	5'9" (2'9")	18"	30 (9.9-50)	221 lbs.	1960 lbs.	6	Alumi	FRP	4+ Air Keel	Optional
SG-156	15'6" (10'11")	6'3" (3')	20"	35 (9.9-55)	264 lbs.	2820 lbs.	8	Alumi	FRP	5+ Air Keel	Optional
SK Series = Sport Knight											
SK-124	12'4" (7'9")	5'4" (2'6")	17"	20 (6-35)	156 lbs.	1540 lbs.	5	Alumi	FRP	4+ Air Keel	Optional
SK-140	14'0" (8'8")	5'6" (2'7")	18"	30 (9.9-50)	195 lbs.	1940 lbs.	6	Alumi	FRP	4+ Air Keel	Optional
SK-156	15'6" (9'6")	6'3" (3')	20"	35 (9.9-55)	250 lbs.	2750 lbs.	8	Alumi	FRP	5+ Air Keel	Optional
SD Series = Sport Deluxe											
SD-124	12'4" (7'9")	5'4" (2'6")	17"	20 (6-35)	149 lbs.	1540 lbs.	5	Wood & Alumi	FRP	4+ Air Keel	Optional
SD-130	13'2" (8'3")	5'6" (2'7")	18"	20 (6-35)	166 lbs.	1910 lbs.	6	Wood & Alumi	FRP	4+ Air Keel	Optional
SD-140	14'0" (8'8")	5'6" (2'7")	18"	30 (9.9-50)	189 lbs.	1940 lbs.	6	Wood & Alumi	FRP	4+ Air Keel	Optional
SD-156	15'6" (9'6")	6'3" (3')	20"	35 (9.9-55)	240 lbs.	2750 lbs.	8	Wood & Alumi	FRP	5+ Air Keel	Optional
SE Series = Sport Economy											
SE-11	11'0" (7'1")	5'1" (2'6")	16"	9.9 (6-15)	105 lbs.	1100 lbs.	5	Wood & Alumi	Wood	3+ Air Keel	Optional
SE-12	12'0" (7'8")	5'1" (2'6")	16"	15 (4-25)	121 lbs.	1190 lbs.	5	Wood & Alumi	Wood	4+ Air Keel	Optional
GT Series = Grand Tender											
GT-10	10'2" (7'6")	4'10" (2'4")	15"	Max 9.9	117 lbs.	1030 lbs.	4	Alumi	FRP	3+ Air Keel	Inf. Thwart
GT-11	11'0" (8'1")	5'0" (2'5")	16"	Max 20	122 lbs.	1280 lbs.	5	Alumi	FRP	3+ Air Keel	Inf. Thwart
HB Series = Hard Bottom											
HB-90	8'10" (6'8")	4'9" (2'6")	14"	Max 8.0	85 lbs.	750 lbs.	3	FRP	FRP	3	Wood
HB-100	10'2" (7'7")	4'10" (2'4")	15"	Max 9.9	118 lbs.	920 lbs.	4	FRP	FRP	3	Wood
HB-140	14'0" (11'7")	5'9" (2'9")	18"	35 (9.9-55)†	323 lbs.	1960 lbs.	6	FRP	FRP	4	Optional
SH Series = Sport Heavy Duty											
SH-156	15'6" (9'6")	6'3" (2'11")	20"	35 (9.9-55)	275 lbs.	2710 lbs.	8	Alumi	FRP	5+ Air Keel	Optional
SH-170	17'0" (10'6")	6'11" (3'3")	22"	40 (20-65)†	340 lbs.	3590 lbs.	10	Alumi	FRP	5+ Air Keel	Optional
SU Series = Sport Utility											
SU-16	16'0" (10'10")	6'9" (3'3")	21"	40 (20-75)†	360 lbs.	3210 lbs.	10	Alumi	FRP	5+ Air Keel	Optional
SU-18	18'0" (12'0")	7'7" (3'7")	24"	50 (25-90)†	400 lbs.	4660 lbs.	15	Alumi	FRP	5+ Air Keel	Optional
SU-20	20'0" (14'0")	8'4" (4'1")	26"	60 (35-115)†	Available Apr. '90		18	Alumi	FRP	6+ Air Keel	Optional
SPD Series = Sport Dinghy											
SPD-2AD	8'4" (5'5")	4'5" (2'2")	14"	Max 6.0	75 lbs.	660 lbs.	2/3	Wood & Alumi	FRP	2+ Air Keel	Inf. Thwart + Wood
SPD-4AD	10'2" (6'10")	4'9" (2'3")	15"	Max 9.9	95 lbs.	990 lbs.	4	Wood & Alumi	FRP	3+ Air Keel	Inf. Thwart + Wood
SPD-2FL	8'4" (5'5")	4'5" (2'2")	14"	Max 6.0	70 lbs.	660 lbs.	2/3	Wood	Wood	2+ Air Keel	Inf. Thwart + Wood
SPD-4FL	10'2" (6'10")	4'9" (2'3")	15"	Max 8.0	85 lbs.	1010 lbs.	4	Wood	Wood	3+ Air Keel	Inf. Thwart + Wood
SPD-5FL	10'11" (7'3")	5'0" (2'4")	16"	Max 9.9	100 lbs.	1170 lbs.	5	Wood	Wood	3+ Air Keel	Inf. Thwart + Wood
LS Series = Light Sport Dinghy											
LS-2	7'6" (5'2")	4'4" (2'0")	14"	Max 3.5	56 lbs.	640 lbs.	2	Wood	Wood	2+ Air Keel	Inf. Thwart
LS-4	8'6" (6'1")	4'8" (2'2")	15"	Max 6.0	67 lbs.	860 lbs.	4	Wood	Wood	2+ Air Keel	Inf. Thwart
LS-4GX	9'6" (6'9")	4'8" (2'2")	15"	Max 8.0	73 lbs.	950 lbs.	4	Wood	Wood	3+ Air Keel	Inf. Thwart
LSR Series = Light Sport Dinghy w/Roll-Up Floor											
LSR-2	7'6" (5'2")	4'5" (2'2")	14"	Max 3.5	44 lbs.	640 lbs.	2	Roll-Up	Wood	2	Wood
LSR-4	9'0" (6'3")	4'9" (2'3")	15"	Max 4.0	54 lbs.	900 lbs.	4	Roll-Up	Wood	2	Wood
LSI Series = Light Sport Dinghy w/Inflatable Floor											
LSI-4	8'8" (6'4")	4'8" (2'4")	14"	Max 4.0	51 lbs.	680 lbs.	4	Inflatable	Wood	2+ Floor	Wood
LT Series = Light Tender w/Motor Mount											
LT-2	7'1" (5'3")	4'0" (2'0")	12"	Max 2.0	36 lbs.	550 lbs.	2	Wood	Optional	2	Wood
LT-3DX	8'4" (6'3")	4'1" (2'0")	13"	Max 3.5	43 lbs.	700 lbs.	3	Roll-Up	Wood	2	Wood
LT-4DX	9'0" (6'9")	4'7" (2'3")	14.2"	Max 4.0	51 lbs.	950 lbs.	4	Roll-Up	Wood	2	Wood

FRP = Fiberglass Reinforced Plastic

† Long Shaft

The specifications of Achilles Boats, equipment and accessories may change without notice.

ACCESSORIES




1.



5.



7.



9.



12.


29



2.




6.



8.



10.



11.




13.



14.



3.



4.

Achilles quality shows in our superb selection of inflatable boat accessories. The right accessories will make your Achilles boat even more comfortable and functional. Check with your Achilles dealer regarding which accessories are right for your boat.


1. DELUXE CUSTOM UPHOLSTERED SEAT WITH STORAGE
2. ACHILLES SPORTS BAG
3. FOLDING LADDER
4. FISHING POLE HOLDER and SNAP DAVITS
5. INFLATABLE SEAT WITH BACKREST
6. BOW HOLDALL
7. MULTIPOSITIONAL FORMED FOLDING SEAT
8. CARPET (GREY, BLUE, RED)
9. DELUXE BACK-TO-BACK SEATS WITH STORAGE
10. BELOW-SEAT HOLDALL
11. TELEFLEX STEERING SYSTEM
12. LAUNCHING WHEEL PIN
13. "D" RINGS, BOW RINGS and SAFETY/LIFT HANDLES
14. DIAL and PENCIL PRESSURE GAUGES
15. INFLATABLE THWART SEAT
16. WOOD BOW DECK
17. LAUNCHING WHEELS
18. ELECTRIC PUMP
19. BOAT COVER
20. AFT "SPOILER" for mounting lights, antenna, rod holders, etc.
21. GLUE-ON LIGHTS
22. SUN CANOPY
23. STAINLESS STEEL HALF PEDESTAL & FIBERGLASS STEERING CONSOLE with WINDSCREEN
24. FULL FIBERGLASS PEDESTAL AND STEERING CONSOLE with WINDSCREEN
25. ALUMINUM FLOORBOARDS
26. ROLL CONTROL DIVERS TANK RACK

One-year limited warranty on all Achilles parts and accessories.


The specifications of Achilles boats, equipment and accessories may change without notice.



15.



16.



17.




18.



19.



20.




21.




22.



23.




24.



25.



26.



AUTHORIZED DEALER

ACHILLES INFLATABLE CRAFT
Division of KOHKOKU USA, INC.

Eastern Sales Office

P.O. Box 517
355 Murray Hill Parkway
East Rutherford, New Jersey 07073
Phone: (201) 438-6400
Fax: (201) 438-2618

Western Sales Offices

P.O. Box 2287	10230 Norwalk Blvd.
1407 80th Street, S.W.	Santa Fe Springs, California 90670
Everett, Washington 98203	Phone: (213) 944-4560
Phone: (206) 353-7000	Fax: (213) 946-0511
Fax: (206) 347-5785	

Achilles

Achilles Corporation
No. 22 Daikyo-Cho, Shinjuku-Ku, Tokyo 160
Phone: (03) 341-5111. Telex: J26556 ACHILLES
Fax: (03) 358-1194, (03) 351-6963