



AUTHORIZED DEALER

Specifications of Achilles boats may change without notice.

Achilles recommends you always wear a personal flotation device or approved life jacket when boating and follow manufacturer's recommendations for boats and engines.



Achilles Inflatable Craft

A Division of Achilles USA, Inc.

PO Box 2287 ▪ Everett, WA 98203


Phone: (425) 353-7000 ▪ Fax: (425) 353-5785

E Mail: achilles@hitmark.com

Website: www.achillesusa.com

Manufactured in Japan by:
Achilles Corporation
No. 22 Daikyo-Cho, Shinjuku-Ku
Tokyo, Japan
Phone: (03) 3225-2187
Fax: (03) 3351-6963

European Agent:
Achilles Inflatable Boats
WENDT AGENTUREN
Grote Beer 39, 2163 AP
Lisse-Nederland
Phone/Fax: 0252-417619



Better Than Ever

Achilles 1998

For over 20 years, the *ACHILLES* name has meant quality to American boaters. The proven reliability, durability and performance of Achilles boats has often been copied, but never duplicated. In 1998, our combination of superior Hypalon® fabric and quality design features have once again been built into every Achilles model.

The 1998 Achilles lineup reflects our continued commitment to producing the finest traditional, soft-bottomed inflatable boats in the world. This is where the Achilles reputation was built, and this is where it will continue to grow. We believe all our models offer boaters tremendous value, and that in 1998, Achilles is truly *BETTER THAN EVER!*



Achilles' famous fabric has never been surpassed. We manufacture it ourselves using Dupont Hypalon®. In 1998, boaters will find it in a broad range of exciting new models.

FIVE-YEAR WARRANTY ON FABRIC AND SEAMS

We back our claim to having superior fabric and construction with a strong warranty commitment.

2

LT-2 DINGHY

Our most economical dinghy is more convenient and practical than ever before. But it's still made with the same tough Hypalon®-reinforced fabric as all our larger boats and backed by the same five-year warranty. LT-2 comes with wood seats, fold-down oars and fold down floors. This lightweight wonder will store virtually anywhere without sacrificing anything in terms of safety. The LT-2 is the best value you'll find in an economical dinghy.

Standard Features Include:

Fold-up wood floor; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & tiedowns; bow D-rings; life lines with hand loops; adjustable wood rowing seat; large, non-corrosive check valves; motor mount; high-volume foot pump; carry bag; and maintenance kit.



SPECIFICATIONS

Color:	Lt. Grey
Length:	7'3" (220 cm.)
Beam:	4'0" (124 cm.)
Tube:	13" (33 cm.)
Weight:	40 lbs. (18 kg.)
Load Capacity:	690 lbs. (310 kg.)
Person Capacity:	2
Max H.P.:	2 Standard Shaft
Air Chambers:	2

3

LEX

SPORT TENDERS



These popular sporty tenders have been re-engineered to be better than ever in 1998! A new sleek bow design not only improves their performance and appearance, it also allows for more interior space. And with a new, larger tube diameter, the load capacity is also increased so you can carry more gear than ever before. Add in other new features like molded rubber oar holders, and a sliding seat with a wider adjustable range to all the other great features that have made Achilles LEX boats so popular, and you have a value-packed, Hypalon® inflatable that offers you much more than competing models.

Standard Features Include:

Hypalon®/Neoprene reinforced fabric; self-locking wood floorboards; fold-down, locking oar system with two-piece, breakdown aluminum oars; full-length rubbing strake; adjustable wood rowing seat; carry bag; foot pump; towing rings; protective transom motor clamp; lifeline and maintenance kit.

SPECIFICATIONS

	LEX-88	LEX-96
Color:	Lt. Grey	Lt. Grey
Length:	8'8" (265 cm.)	9'6" (290 cm.)
Beam:	4'9" (144 cm.)	4'9" (144 cm.)
Tube:	15.5" (39 cm.)	15.5" (39 cm.)
Weight:	77 lbs. (35 kg.)	81 lbs. (37 kg.)
Load Capacity:	913 lbs. (415 kg.)	990 lbs. (450 kg.)
Person Capacity:	4	4
Max H.P.:	5 Standard Shaft	8 Standard Shaft
Air Chambers:	2 & Keel	2 & Keel

SPD

SPORT TENDERS

Redesigned for 1998 with more quality features than ever before, these models now offer sleeker tube lines which allow tube diameters to increase without limiting performance. Coupled with a new pointed, raised bow, SPD tenders carry more and perform better than ever before! Also standard are non-slip, foam-matted floorboards and a sliding wood seat which can be attached in two different locations.



Like all Achilles boats, SPD tenders are made with durable Hypalon®-reinforced fabric. Compare fabric, features and price with competing models and you'll see what a great value these boats really are!

Standard Features Include:

Hypalon/Neoprene fabric; foam-matted floorboards; towing bridle; fold-down locking oar system; two-piece breakdown aluminum oars; protective transom motor clamp; high volume foot pump; carry bag; and maintenance kit.

SPECIFICATIONS

	SPD-102	SPD-108
Color:	Lt. Grey	Lt. Grey
Length:	10'2" (310 cm.)	10'8" (320 cm.)
Beam:	4'11" (150 cm.)	4'11" (150 cm.)
Tube:	15.5" (39 cm.)	15.5" (39 cm.)
Weight:	92 lbs. (41.5 kg.)	97 lbs. (44 kg.)
Load Capacity:	1,144 lbs. (520 kg.)	1,188 lbs. (540 kg.)
Person Capacity:	4	5
Max H.P.:	10 Standard Shaft	15 Standard Shaft
Air Chambers:	3 & Keel	3 & Keel



SPD

SPORT TENDERS

Redesigned for 1998 with more quality features than ever before, these models now offer sleeker tube lines which allow tube diameters to increase without limiting performance. Coupled with a new pointed, raised bow, SPD tenders carry more and perform better than ever before! Also standard are non-slip, foam-matted floorboards and a sliding wood seat which can be attached in two different locations.




Like all Achilles boats, SPD tenders are made with durable Hypalon®-reinforced fabric. Compare fabric, features and price with competing models and you'll see what a great value these boats really are!

Standard Features Include:

Hypalon/Neoprene fabric; foam-matted floorboards; towing bridle; fold-down locking oar system; two-piece breakdown aluminum oars; protective transom motor clamp; high volume foot pump; carry bag; and maintenance kit.

SPECIFICATIONS

	SPD-102	SPD-108
Color:	Lt. Grey	Lt. Grey
Length:	10'2" (310 cm.)	10'8" (320 cm.)
Beam:	4'11" (150 cm.)	4'11" (150 cm.)
Tube:	15.5" (39 cm.)	15.5" (39 cm.)
Weight:	92 lbs. (41.5 kg.)	97 lbs. (44 kg.)
Load Capacity:	1,144 lbs. (520 kg.)	1,188 lbs. (540 kg.)
Person Capacity:	4	5
Max H.P.:	10 Standard Shaft	15 Standard Shaft
Air Chambers:	3 & Keel	3 & Keel



NEW!

LSI

**SPORT
TENDERS**



We've taken our classic LS Series tenders into the future with our new LSI boats featuring Achilles' revolutionary AirFirm™ Floors. These remarkable drop stitched inflatable floors are made with high quality Hypalon-reinforced fabric supported by interior polyester threads. They are the **ONLY** drop stitched inflatable floors made with Hypalon®. When inflated, they provide an unparalleled smooth, firm deck. In our LSI-88 and LSI-104 models, these amazing built-in floors are supported by air keels for unsurpassed performance in an air floor inflatable boat. And all three LSI models have a wider bow design than their LS cousins for even more gear space. Needless to say, LSI boats are extremely lightweight and incredibly easy to set up and store. Never before has such a level of convenience been accompanied by such superior quality. And no one else offers a rigid air floor made with tough, durable airtight Hypalon fabric.



SPECIFICATIONS

	LSI-77	LSI-88	LSI-104
Color:	Lt. Grey	Lt. Grey	Lt. Grey
Length:	7'7" (230 cm.)	8'8" (265 cm.)	10'4" (315 cm.)
Beam:	4'9" (144 cm.)	4'9" (144 cm.)	4'11" (150 cm.)
Tube:	15.5" (39 cm.)	15.5" (39 cm.)	15.5" (39 cm.)
Weight:	64 lbs. (29 kg.)	72 lbs. (32.5 kg.)	80 lbs. (36.5 kg.)
Load Capacity:	770 lbs. (350 kg.)	920 lbs. (420 kg.)	1070 lbs. (490 kg.)
Person Capacity:	2	4	4
Max H.P.:	4 Standard Shaft	6 Standard Shaft	9.9 Standard Shaft
Air Chambers:	2 & Floor	2 & Keel & Floor	2 & Keel & Floor

LS TENDERS

SPECIFICATIONS

	LS-2*	LS-4*
Color:	Red	Red
Length:	7'6" (228 cm.)	8'8" (265 cm.)
Beam:	4'4" (132 cm.)	4'8" (142 cm.)
Tube:	14" (35 cm.)	15" (38 cm.)
Weight:	56 lbs. (25.5 kg.)	67 lbs. (30.5 kg.)
Load Capacity:	640 lbs. (290 kg.)	860 lbs. (390 kg.)
Person Capacity:	2	4
Max H.P.:	3.5 Standard Shaft	6 Standard Shaft
Air Chambers:	2 & Keel	2 & Keel

These Classic models have distinguished themselves over the years as sturdy, reliable tenders which offer serious boaters everything they seek in an inflatable. Large tube volume, generous proportions, and, of course, Hypalon fabric are all part of the quality LS package which also boasts a range of quality Achilles features. Their long and healthy track record prove that LS boats are timeless in terms of providing safety and comfort for boaters.


*LS-2 AND LS-4 BOATS AVAILABLE IN EUROPE, ASIA AND AUSTRALIA ONLY.

LSI Standard Features Include:

- Air keel (LSI-88/LSI-104);*
- Hypalon drop stitch AirFirm™ Floors;*
- full length rubbing strake;*
- fold down locking oar system;*
- two-piece breakdown aluminum oars & oar holders;*
- bow carry handle;*
- towing bridle;*
- life lines;*
- wood rowing seat;*
- protective motor clamp;*
- self-bailer valve;*
- single action hand pump with pressure gauge;*
- carry bag;*
- maintenance kit;*
- floor protection sheet for oil tank;*
- and roomy square bow design.*

SPORT BOATS

SE



The NEW SE-121 and SE-131 sport boats offer high quality, 12 and 13-foot Hypalon® inflatables at prices competitive with PVC boats and lower than other Hypalon inflatables! Yet you are still guaranteed Achilles-brand quality in a striking, new two-tone design which allows Achilles 1998 sportboats to stand out from all the imitators.

SPECIFICATIONS

	SE-121	SE-131	SE-15
Color(s):	Grey/Lt. Grey Red/Grey	Grey/Lt. Grey Red/Grey	Red
Length:	12'1" (365 cm.)	13'2" (400 cm.)	14'7" (445 cm.)
Beam:	5'4" (162 cm.)	5'9" (175 cm.)	5'11" (181 cm.)
Tube:	17" (43 cm.)	18" (45 cm.)	19" (48 cm.)
Weight:	139 lbs. (63 kg.)	160 lbs. (72 kg.)	173 lbs. (78.5 kg.)
Load Capacity:	1,474 lbs. (670 kg.)	1,760 lbs. (800 kg.)	2,200 lbs. (1,010 kg.)
Person Capacity:	5	6	7
Recommended H.P.:	15 (4-25) Standard	20 (6-35) Long	30 (9.9-40) Long
Air Chambers:	4 & Keel	4 & Keel	4 & Keel

Standard Features Include: Deep "v" inflatable hull; self-locking wood floorboards with aluminum stringers; Hypalon/Neoprene-reinforced fabric; fold-down locking oar system with two-piece breakdown aluminum oars; lift & carry handles; helmsman safety grip; lifelines; removable wood seat; high-volume foot pump; and maintenance kit.

SGX

SPORT BOATS



The next generation of traditional soft-bottomed inflatable sportboats arrives with the 1998 Achilles SGX models. Loaded with a range of high quality special features, they now offer a more contemporary tube design to go along with their striking two-tone look. Superior features like aluminum floorboards, fiberglass transom, and deep "V" inflatable keel are standard, along with their super tough Hypalon® fabric. All these features plus famous Achilles quality make SGX boats an excellent value.

Standard Features Include:

Deluxe self-locking aluminum floorboards; fiberglass transom; double positional wood seat; bow carry handle; four lift and carry handles; towing rings; interior safety paddle; aluminum transom protection plate; high volume foot pump; carry bag; and maintenance kit.

SPECIFICATIONS

	SGX-122	SGX-132
Colors:	Grey/Lt. Grey Red/Grey	Grey/Lt. Grey Red/Grey
Length:	12'2" (365 cm.)	13'2" (400 cm.)
Beam:	5'4" (162 cm.)	5'9" (175 cm.)
Tube:	17" (43 cm.)	18" (45 cm.)
Weight:	161 lbs. (73 kg.)	184 lbs. (83.5 kg.)
Load Capacity:	1,474 lbs. (670 kg.)	1,740 lbs. (790 kg.)
Person Capacity:	5	6
Recommended HP:	20 (6-35) Standard	30 (9.9-40) Long
Air Chambers:	4 & Keel	4 & Keel

SG

SPORT BOATS



These "top-of-the-line" models continue to set the standard for inflatable sportboats. Built for high performance with deep "V" trigon air keel hulls, Achilles SG boats offer a roomy, square bow configuration which provides room for extra gear, and an aluminum floor system delivers superior traction, rigidity and durability. Achilles SG sportboats bring performance and practicality together for better water skiing, diving, fishing or all-around sportboating pleasure!

Standard Features Included: Roomy square bow configuration; trigon air keel; aluminum self-locking floorboards with aluminum stringer system; fiberglass transom with protective motor clamp plate; fuel tank tie-downs; self-bailer valve; full-length rubbing strake; fold-down locking oar system (except SG-156); bow carry handle; lift & carry handles; towing bridle; high-speed helmsman grip; life lines; full-length splash guard; transom splash guard; removable bow spraydodger, bow holdall fitting points; bow deck fitting points; cushion seat fitting points; large, non-corrosive check valves; large, high-volume foot pump; double carry bag system; deluxe maintenance kit.



SPECIFICATIONS

	SG-140	SG-156
Color:	Red	Red
Length:	14' (425 cm.)	15'6" (473 cm.)
Beam:	5'9" (175 cm.)	6'3" (190 cm.)
Tube:	18" (45 cm.)	20" (50 cm.)
Weight:	221 lbs. (100.5 kg.)	264 lbs. (120 kg.)
Load Capacity:	1,960 lbs. (890 kg.)	2,820 lbs. (1,280 kg.)
Person Capacity:	6	8
Recommended HP:	30 (9.9-50) Long	35 (9.9-55) Long
Air Chambers:	4 & Keel	5 & Keel

SU

SPORT UTILITY BOATS



SU Boats are built tough to work hard for rugged private and commercial use. They are made with an additional heavy-duty layer of 840-denier nylon fabric in a two-ply technique which results in a core fabric even stronger than a single base fabric of equal thickness. A number of exclusive features are built into these boats which combine to bring the advantages of an inflatable together with the demands of tough commercial marine use.

Standard Features Included: Toughest double (840 denier each) nylon core fabric; trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with aluminum plate (exterior) & motor pad (interior); fuel tank tie-down; large self-bailer; extra-wide, heavy-duty, full-length teardrop rubbing strake; tie-down straps for paddles; bow carry handle, towing bridle; lift & carry handles; splash guard with life lines; heavy-duty reinforcement cargo wear patch all around; extra tie-down D-rings; large non-corrosive recessed valves; two (2) high-volume large foot pumps; deluxe maintenance kits.



SPECIFICATIONS

	SU-16	SU-18
Color:	Grey	Grey
Length:	16' (488 cm.)	18' (549 cm.)
Beam:	6'9" (206 cm.)	7'7" (230 cm.)
Tube:	21" (53 cm.)	24" (60 cm.)
Weight:	365 lbs. (165.5 kg.)	400 lbs. (182.5 kg.)
Load Capacity:	3,210 lbs. (1,460 kg.)	4,660 lbs. (2,120 kg.)
Person Capacity:	10	15
Recommended HP:	40 (20-75) Long	50 (25-90) Long
Air Chambers:	5 & Keel	5 & Keel