
# ACHILLES




INFLATABLE BOATS'86

### **ACHILLES 1986. MORE THAN YOU'D EVER**









#### MORE INFLATABLE

Achilles inflatables give you more of what you buy an inflatable for. They're designed to store in a minimum of space and transport with ease. They assemble quickly and easily for fast launching virtually anywhere, even without a ramp. Easy to maintain, Achilles inflatables don't require a trailer and use smaller outboards and less gas. Superior stability and buoyancy and extreme versatility are just some of the other advantages of better inflatable boats.


#### MORE DURABILITY

The fabric is the most crucial factor of any inflatable. At Achilles, a core of custom-made heavy-duty nylon is strengthened and supported by an exterior coating of tough DuPont Hypalon and two interior layers of airtight Neoprene. This four-layer process provides a fabric that resists damage from abrasions, punctures, oil, gasoline, ultraviolet rays or warm salt water while remaining completely airtight in all kinds of temperatures. Hypalon and Neoprene are universally known and proven elastomers, and not the unknown fabric compounds used on some other inflatables.

#### MORE SAFETY


At Achilles, we reinforce seams inside and out with seam tape while also overlapping the fabric a full inch at the seams to guarantee airtight strength. Our boats usually have more air chambers than other inflatables of the same size. From the double-capped inflation valves to the heavy-duty rubbing strake around every Achilles boat, extra steps are to throughout the Achilles production process to insure safety.

### EXPECT FROM AN INFLATABLE BOAT









#### MORE FEATURES

From the smallest dinghy to the largest workboat, every Achilles inflatable is made with a range of superior features designed to make that boat as functional and comfortable as possible. Achilles offers the simplicity and practicality of the fold-down, locking oar system included as standard equipment on every dinghy a port dinghy and most sportboats. Achilles gives you the fast, easy self-locking floorboard system offered on all sportboats and sport dinghies. The list of superior Achilles features goes on and on. You will find more and better features on our inflatables.

### MORE SELECTION

No one offers a wider range of recreational inflatables to choose from than Achilles. That's why you're sure to find an Achilles that's right for you no matter what your boating needs are. Whether you're looking for a reliable dinghy, sport tender, all-around utility boat, dive boat, fishing boat, high performance sportboat or whatever, there's an Achilles made for you. And because it's an Achilles, you can be sure it's made right.

#### MORE PEACE OF MIND


With Achilles, every boat comes with peace of mind. That's because you're choosing the best selling quality Hypalon inflatable boat in the U.S. A boat backed by a proven reputation for quality andlan excellent record of safety, not to mention a full five-year limited warranty. You'll enjoy the best overall value in the industry because you're getting the most boat for your money. A boat that will perform and last. When you buy an Achilles, you know you chose the right boat even before you get it in the water.

### **ACHILLES 1986.**

## QUALITY: OUR ONGOING GOAL.


As soon as we find a way to improve our boats, it's incorporated into our new models. How else could we continue to produce the finest boats possible. But all these changes, adjustments and refinements are made possible by the flexibility of our super modern production facility. At Achilles, there is only one level of quality: the best, and here's how we achieve the best year after year, model after model.

IGH TECHNOLOGY.
Achilles Computer-Aided-Design (CAD) System allows us to develop



new designs and features as well as refine existing ones, faster and more

accurately than traditional design methods. This means we can explore many more design alternatives than others. Our computerized manufacturing system insures speed, efficiency and, most importantly, quality control. Our modern technology



allows us to remain on the leading

edge of inflatable boat innovation. We have more air chambers to provide safer boating. And our air

keel design gives you a smoother ride and top performance.

### HE BEST FABRIC FOR THE BEST BOATS.

No fabric is tougher or more airtight than the unique fabric Achilles uses on every boat. Our exclusive heavyduty nylon core material is further strengthened with Hypalon and Neoprene. Many others use vinyl based coatings.


Hypalon is a superior additive for resisting damage from abrasions, punctures, oil, gasoline, or the were ring effects of the sun, ozone and warm salt water. And Achilles uses an industry high of 80% Hypalon.

Our Hypalon compound is then calendered through high pressure methods to Achilles own heavy-duty nylon fabric. This creates a denser, stronger fabric. We also use two layers of Neoprene inside for extra air tightness.

And each and every boat has Hypalon and Neoprene on all parts for top quality throughout.




The end result is one tough, durable, airtight fabric found on all Achilles boats, from the smallest dinghy to the largest workboat.



### **TOPS IN DESIGN TECHNOLOGY**

## AFETY FIRST & FEMOST.


Unlike others, we reinforce our seams inside and out with seam tape. Achilles also overlaps the fabric a full inch at the seams. Industry standard is usually one-half inch.



This seam construction plus our glue control method, uniform curing process and special valve design, help guarantee the most airtight boats in the industry. And our inflating valves are double-capped for extra safety.

### UPER STANDARD FLATURES.

Achilles exclusive oar-lock system. It allows you to fold down oars on top of tubes without being in the way even without the need of oar stoppers.



Achilles exclusive oar-lock system.



C V" keel and bow rise.

Achilles deep "V" keel and bow rise design provides a fast and easy planing boat and a soft ride.



Self-locking floorboards.

Achilles was first to come through with this self-locking system that's so easy to put in and take out. For 1986, we're introducing aluminum floorboards in some sportboat models and offering them as options on some others. They're stronger and more durable, weather and water resistant, too.



Fiberglass transom and aluminum motor pad.

All our rigid transom boats have an extra strong aluminum pad to protect the transom and prevent engine ride up. All Achilles boats have multiple separate air chambers for extra safety. Even if a chamber should become deflated, you'll remain safely afloat. You'll usually find at least one more chamber on an Achilles than on any comparable competing model.

Almost all our boats come with one or more seats specially designed to complement that boat and the uses it will encounter. These items and such features as extra bow rings for securing gear, safety grip handles, fuel tank fasteners, and motor mount pads have been added in response to consumer needs and suggestions.

At Achilles, our boats are peopleoriented, not factory-oriented. We design and adapt our boats to meet the practical needs of boaters as opposed to designing them to conform to factory production capabilities.



### ACHILLES SPORTBOATS AND SPORT DINGHIES





#### STANDARD FEATURES ON ALL ACHILLES SPORTBOATS AND SPORT DINGHIES

1. Open Bow Construction with Removable Bowdodger (SE, SD, SK, SHD, SPD Series and HB). Fixed Bowdodger and Windshield (SR, SHR) Both Bowdodgers come with support bar.

2. Reinforced Rubbing Strip of extra wide, thick molded rubber for protection all around the boat.

Combination Towing Ring and Bow Carrying Handle of solid metal. Painter Line included.

Two extra Towing "D" Rings on Bow (most models).

Life lines. Easily reached from inside or outside of boat.
 Spray Deflector Trim for reducing spray over gunwales. Except SPD, LS Series and HB-100.

Advanced Lock-Type Oar Locks, Oars and Oar Stoppers.

8. Helmsman's Grip Handle for driving at high speeds. Heavy-duty marine plywood sectional floorboards with high gloss varnish (on all sportboats and sport dinghies except SU, SH, SK and HB Series). SK Series has new aluminum floorboards and SU, SH Series have fiberglass reinforced floorboards. HB Series has a solid fiberglass reinforced floor.

10. Multi-purpose interior Bow Rings for securing holdalls and other items. Except SPD, LS and HB Series.

11. Bilge Drain. Self-bailing drain with rubber diaphragm check valve

12. Solid Fiberglass-reinforced transom for strong support of high performance outboards. Except some SPD and LS Series.

13. Aluminum pad to protect transom and prevent engine "ride-up".

14. Lifting Handles for easy carrying.

 Extra Large Check Valves for quicker inflation and defla-tion. One way airtight valve for inflation, capped for double safety. Cap and valve unscrewed together for fast deflation. (SU and SH Series workboats have recessed valves.)

16. Carrying Bag for easy stowing and storage.17. High Volume Foot Pump.

18. Repair Kit.

 Fuel Tank Fastener to solidly secure tanks and prevent any movement. Except SPD, LS. Optional fuel tank pad available.

### FAST AND EASY SPORTBOAT FLOORBOARD ASSEMBLY






A. Achilles was the first to design the simple and quick self-locking C. The pressure of the inflated tubes pushes the stringers floorboard system with support Aluminum (or wooden)

B. Once the floorboards are placed in a partially inflated boat, the stringers are put in place and the boat inflated fully.



into place and locks the floorboards firmly into position. This results in a better, more rigid floor. This method is the fastest and easiest available of any inflatable.





Open bow construction.

Sportboats Towing ring and bow carrying handle.












### **SR SPORTBOAT SERIES**










	SR-110	SR-124	SR-140	SR-156
LENGTH OVERALL INSIDE	11'0" (335 cm.) 5'6" (168 cm.)	12'4" (375 cm.) 6'3" (190 cm.)	14'0" (425 cm.) 7'5" (225 cm.)	15'6" (473 cm.) 8' (245 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	4' x 1'9" x 1' 121 x 54 x 31 cm.	4' x 1'10" x 1' 123 x 55 x 31 cm.	4'5" x 2'2" x 1' 135 x 65 x 31 cm.	4'11" x 2'3" x 1'2" 150 x 69 x 36 cm.
STOWED FLOOR	3' x 1'8" x 5" 91 x 51 x 13 cm.	3' x 1'11" x 5" 92 x 59 x 13 cm.	3'1" x 2'2" x 6" 94 x 65 x 16 cm.	3'7" ×2'5" ×6" 109 × 73 × 16 cm.
E DIAMETER	15.8" (40 cm.)	17.0" (43 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
GHT	134 lbs. (61 kg.)	145 lbs. (66 kg.)	198 lbs. (90 kg.)	245 lbs. (111 kg.)
LOADING CAPACITY	1,080 lbs. (490 kg.)	1,540 lbs. (700 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	4	5	6	8
RECOMMENDED HP.	15 (4-25) Standard shaft	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Red or Yellow/Grey   (1)	Red or Yellow/Grey	Red or Yellow/Grey   (1)	Red or Yellow/Grey   (1)

### SE SPORTBOAT SERIES







SE Sportboats make great all-around family fun boats and fish boats as well as outstanding economical tenders for larger boats. Their roominess and stability allow them to carry heavy loads of passengers and gear while their sportboat design provides high speed per-formance and superior maneuverability. Their unique

bow step guard allows you to step on the bow tube when boarding, unboarding or just out fishing. Another practical feature is Achilles famous fold-down oar lock system.
These sportboats are truly versatile.

	SE-11	SE-12	SE-130
LENGTH OVERALL INSIDE	10'8" (325 cm.) 6'9" (205 cm.)	12'0" (365 cm.) 7'7" (232 cm.)	13'2" (400 cm.) 8'2" (250 cm.)
BEAM OVERALL INSIDE	4'7" (140 cm.) 2'1" (64 cm.)	5'1" (155 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)
STOWED BOAT	3'9" x 1'9" x 1'1" 115 x 52 x 33 cm.	4' x 1'10" x 11" 123 x 55 x 28 cm.	4'5" x 2' x 1' 135 x 61 x 31 cm.
STOWED FLOOR	2'11" x 1'8" x 5" 88 x 51 x 13 cm.	3'3" x 1'10" x 5" 99 x 57 x 13 cm.	3'1" x 2' x 6" 94 x 61 x 16 cm.
TUPEPIAMETER	15.0" (38 cm.)	15.8" (40 cm.)	17.7" (45 cm.)
WEGF	110 lbs. (50 kg.)	132lbs. (60 kg.)	170 lbs. (77kg.)
LOADING CAPACITY	970 lbs. (440 kg.)	1,190 lbs. (540 kg.)	1,910 lbs. (870 kg.)
PERSON CAPACITY	4	5	6
RECOMMENDED HP.	12 (4-20) Standard shaft	15 (4-25) Standard shaft	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel	4 plus air keel	4 plus air keel
COLOR	Red, Grey or Blue	Red, Grey or Blue	Red, Grey or Blue 0 0




### **SD SPORTBOAT SERIES**




It's difficult to imagine any boating need that tough, roomy portboats can't handle. Their excellent oar system and optional seating accessories make them superb tenders. Their roominess, stability and durability make them rugged utility boats. And their superior performance make them exciting, planing sportboats.

SD boats are a favorite of divers and fishermen because they can carry a lot of gear and are extremely stable. But when the fishing or diving is over they still have a high performance funboat for waterskiing or other uses.

An SD Sportboat is a logical choice for the boater who wants a boat that can do a little bit of everything.



	SD-124	SD-140	SD-156
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)	14'0" (425 cm.) 8'8" (265 cm.)	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	4'x1'10"x1' 123 x 55 x 31 cm.	4'5" x 2'2" x 1' 135 x 65 x 31 cm.	4'11" x 2'3" x 1'2" 150 x 69 x 36 cm.
STOWED FLOOR	3' x 1'11" x 5" 92 x 59 x 13 cm.	3'1" x 2'2" x 6" 94 x 65 x 16 cm.	3′7″ ×2′5″ ×6″ 109 × 73 × 16 cm.
TUBE DIAMETER	17.0" (43 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
WEIGHT	150 lbs. (68 kg.)	191 lbs. (87 kg.)	230 lbs. (107 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	5	6	8
RECOMMENDED HP.	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Red or Grey	Red or Grey	Red or Grey • •



### **NEW-SK SPORTBOAT SERIES**





	SK-124	SK-140	SK-156
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)	14'0" (425 cm.) 8'8" (265 cm.)	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	4' x 1'10" x 1' 123 x 55 x 31 cm.	4'5" x 2'2" x 1' 135 x 65 x 31 cm.	4'11" x 2'3" x 1'2" 150 x 69 x 36 cm.
STOWED FLOOR	3' x 1'11" x 5" 92 x 59 x 13 cm.	3'1" x 2'2" x 6" 94 x 65 x 16 cm.	3'7" x 2'5" x 6" 109 x 73 x 16 cm.
TUBE DIAMETER	17.0" (43 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
WEIGHT	163 lbs. (74 kg.)	194 lbs. (88 kg.)	245 lbs. (111 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	5	6	8
RECOMMENDED HP.	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Black ●	Black ●	Black •

### SH SPORTBOAT HEAVY-DUTY SERIES



SH boats are made to take on any challenge. They can handle the rigors of rough seas or rough use. SH models are made with the same high performance design as our SR and SD Series Sportboats but have an additional heavy-duty layer of 840 denier nylon

throughout to double their strength. And these six ply boats deliver both sportboat maneuverability as well as workboat toughness. All SH boats have self-locking fiberglass reinforced floorboards and transoms. (Aluminum floorboards optional.)





### ACHILLES 6 PLY TECHNIQUE



SH Sportboats are made with a core of two layers of 840 denier nylon separated by a layer of Neoprene. The result is a stronger core than even a single ply fabric of equal (1680) denier. Add an exterior layer of tough DuPont Hypalon and two interior layers of airtight Neoprene and you have six layers of airtight strength unmatched in the industry.

	<b>SHR, SHD-156</b>	SHR, SHD-170
LENGTH OVERALL INSIDE	15'6" (473 cm.) 8' (245 cm.) SHR 9'6" (290 cm.) SHD	17'0" (518 cm.) 8'10" (268 cm.) SHR 10'6" (320 cm.)SHD
BEAM OVERALL INSIDE	6'3" (190 cm.) 2'11" (90 cm.)	6'11" (210 cm.) 3'3" (100 cm.)
STOWED BOAT	4'11" x 2'3" x 1'2" 150 x 69 x 36 cm.	5′3″ x 2′4″ x 1′3″ 160 x 72 x 37 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 75 x 20 cm.	4' x 2'10" x 8" 122 x 86 x 20 cm.
TUBE DIAMETER	19.7" (50 cm.)	22.0" (55 cm.)
WEIGHT	275 lbs. (125 kg.) SHR 267 lbs. (121 kg.) SHD	355 lbs. (161 kg.) SHR 344 lbs. (156 kg.) SHD
LOADING CAPACITY	2,710 lbs. (1,230 kg.)	3,590 lbs. (1,630 kg.)
PERSON CAPACITY	8	10
RECOMMENDED HP.	35 (9.9-55) Standard shaft	40 (20-65) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel	5 plus air keel
COLOR	Red or Grey	Red or Grey

### HB RIGID HULL BOAT SERIES





The same heavy-duty, Hypalon-reinforced fabric used on our regular inflatables is bonded to a tough rigid hull. The result is a high performance powerboat which takes a smaller engine and has much more buoyancy and seaworthiness than a rigid craft while still


providing the same maneuverablity.

The HB-100 is a terrific tender and roomy runabout. It's fast, fun and easily fits on top of a car. Both HB's have multi air chambers (3 in HB-100 and 5 in HB-126) to make them virtually unsinkable.

The HB-126 has an advanced water ballast system with three separate hull compartments which keep weight forward longer so the boat will rise up on a plane quickly while keeping the bow lower for safety during acceleration.



HR-126





The fiberglass transoms of HB boats fold down for easier transporting and storage than other rigid hull inflatables. The modified "V" hull design makes HB boats faster.

	110-100	110-120
LENGTH OVERALL INSIDE	10'2" (310 cm.) 7'7" (230 cm.)	12'6" (380 cm.) 9'10" (300 cm.)
BEAM OVERALL INSIDE	4'11" (150 cm.) 2'5" (74 cm.)	5'4" (162 cm.) 2'8" (82 cm.)
TUBE DIAMETER	15.0" (38 cm.)	15.8" (40 cm.)
WEIGHT	112 lbs. (51 kg.)	198 lbs. (90 kg.)
LOADING CAPACITY	990 lbs. (450 kg.)	1,320 lbs. (600 kg.)
PERSON CAPACITY	4	5
RECOMMENDED HP.	9.9 (Max.) Standard shaft	25 (6-35) Long shaft
NO. OF AIR CHAMBERS	3	5
COLOR	Blue	Red 0

HR-100

### LS SPORT DINGHY SERIES










LS Sport Dinghies are more compact than the SPD Series but still provide outstanding stability and high carrying capacity because of their inflatable keels, full length wooden floorboards, wooden transoms, wide beams and large tube diameters. They also have an inflatable seat which not only allows for easy rowing, but which also provides an additional air chamber for extra safety. Very easy to assemble, they make excellent tenders for small and medium sized boats.

They also fill a number of other uses for active individuals and families. They fit easily into campers, pick-ups or car trunks and can be launched quickly in wilderness areas where there is no easy water access. Combined with their surprising roominess and remarkable stability, these qualities make LS Sport Dinghies ideal for hunting, fishing and camping. They are safe for children who will find an endless variety of ways to put these easy-to-handle boats to fun use.

MAN GOVE	LS-2	LS-4	LS-4GX	LS-4EX
LENGTH OVERALL INSIDE	7'6" (228 cm.) 5'1" (156 cm.)	8'6" (260 cm.) 6'1" (185 cm.)	9'6" (290 cm.) 6'9" (205 cm.)	10'2" (310 cm.) Inflated 7'5" (225 cm.)
BEAM OVERALL INSIDE	4'4" (132 cm.) 2' (62 cm.)	4'8" (142 cm.) 2'2" (66 cm.)	4'8" (142 cm.) 2'2" (66 cm.)	4'8" (142 cm.) Inflated 2'2" (66 cm.)
STOWED BOAT	3'3" x 1'10" x 10" 98 x 55 x 25 cm.	3′5″ x 1′10″ x 10″ 103 x 55 x 26 cm.	3'6" x 1'9" x 1' 106 x 54 x 30 cm.	3'6" x 1'9" x 1' 106 x 54 x 30 cm.
BE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)	15.0" (38 cm.)	15.0" (38 cm.)
GHT	56 lbs. (26 kg.)	69 lbs. (31 kg.)	73 lbs. (33 kg.)	77 lbs. (35 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)	860 lbs. (390 kg.)	950 lbs. (430 kg.)	990 lbs. (450 kg.)
PERSON CAPACITY	2	4	4	4
MAXIMUM HP.	3.5 Standard shaft	6 Standard shaft	8 Standard shaft	8 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel & thwart	2 plus air keel & thwart	3 plus air keel & thwart	3 plus air keel & thwart
COLOR	Red or Grey/Yellow   (	Red or Grey/Yellow • •	Blue •	Red or Grey/Yellow • •

### SPD-AD, SPD-DX SPORT DINGHY SERIES



These Sport Dinghies have been best sellers for years

and are now better than ever in '86.

All built with inflatable deep "V" keels so you can plane them for terrific sportboat performance.

Heavy-duty fabrics for rugged use plus fiberglass-

reinforced transoms and aluminum stringers.

The SPD-4DX also has a larger tube diameter and wider beam for the ultimate in sport dinghy loading capacity and performance.

Whichever you choose, you get a practical dinghy and an exciting sportboat all in one.



	SPD-2AD	SPD-4AD	SPD-4DX
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)	10'2" (310 cm.) 6'10" (207 cm.)	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)	4'9" (145 cm.) 2'3" (69 cm.)	4'11" (150 cm.) 2'4" (70 cm.)
STOWED BOAT	3′5″ x 2′ x 1′ 104 x 60 x 31 cm.	3'10" x 1'10" x 1'1" 117 x 57 x 33 cm.	3'7" x1'10" x1'1" 108 x 56 x 34 cm.
TUBE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)	15.8" (40 cm.)
WEIGHT	75 lbs. (34 kg.)	95 lbs. (43 kg.)	104 lbs. (47 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)	990 lbs. (450 kg.)	1,100 lbs. (500 kg.)
PERSON CAPACITY	2/3	4	4
MAXIMUM HP.	6.0 Standard shaft	9.9 Standard shaft	9.9 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel & thwart	3 plus air keel & thwart	3 plus air keel & thwart
COLOR	Grey or Blue	Grey or Blue	Red and Grey



### SPD-FL SPORT DINGHY SERIES



	SPD-2FL	SPD-4FL	SPD-5FL
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)	10'2" (310 cm.) 6'10" (207 cm.)	10'11" (332 cm.) 7'3" (221 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)	4'9" (145 cm.) 2'3" (69 cm.)	5' (152 cm.) 2'4" (72 cm.)
STOWED BOAT	3'4" x 2' x 11" 102 x 60 x 28 cm.	3'7" x 1'10" x 1' 110 x 57 x 31 cm.	3'10" x 1'11" x 1'6" 116 x 58 x 45 cm.
TUBE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)	16.0" (40 cm.)
WEIGHT	68 lbs. (31 kg.)	87 lbs. (40 kg.)	101 lbs. (46 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)	1,010 lbs. (460 kg.)	1,170 lbs. (530 kg.)
PERSON CAPACITY	2/3	4	5
MAXIMUM HP	6.0 Standard shaft	8.0 Standard shaft	9.9 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel & thwart	3 plus air keel & thwart	3 plus air keel & thwart
COLOR	Grey •	Red or Grey	Grey ●



### **ACHILLES DINGHIES**



All fully equipped with a complete oar system, motor mount, and at least one seat (usually two) are standard on all our dinghies.

Achilles Dinghies are designed with raised bows and floorboards for ease of rowing. And you won't find a more advanced, functional oar system than the fold-down, locking system on every Achilles dinghy.

Like all Achilles inflat-

Like all Achilles inflatables, our dinghies are made with a tough nylon base reinforced on the exterior with Hypalon and Neoprene inside for toughness and airtightness. Light and compact, they assemble in minutes, store in a minimum of space and can even be kept inflated on the deck of your boat.

- 1. Removable bowdodger: Reduces bow spray. Bright orange color for safety.
- 2. Forward Inflatable Seat: For rowing and added flotation for ST Series. DT Series has forward wooden seat.
- 3. Hinged Marine Plywood Floorboards for added stability. Fold up for easy storage when not in use. High gloss varnish. Plastic stringers reinforce the floorboards on ST models only.
- 4. Wooden Stern Seat with Velcro Fastener. Can also be used in bow section. (ST 4).
- Lock-Type Oarlocks for easy rowing and smoother strokes. Greater maneuverability and no chance of "Oars Over Board."
- Aluminum and Plastic Collapsible Oars. Specially made for Achilles Dinghies and Sport Dinghies.
- 7. Lifelines: Attached with stainless steel "D" rings fastened in thick molded rubber.
- 8. Oar Stoppers for additional oar support when not in use.
- Towing Stainless Steel "D" Ring. Fastened in molded rubber with reinforced Nylon for stronger and safer towing. Painter line included. (ST-4 has three rings).
- Reinforced Rubbing Strip: Extra wide, thick molded rubber for protection. Bright yellow color for safety.
- 11. Outboard Mounting Bracket.
- 12. Stern Lifting Handles for easier carrying on 4-man models only.
- High Volume Foot Pump and Repair Kit. Heavy-Duty Nylon Sea Bag: for easy stowing and storage.
- 15. Achilles Extra Large Check Valve for quicker inflation and deflation. Capped for double safety. For quick deflation, unscrew cap and valve together. Also includes (not shown) instruction manual.

### STANDARD EQUIPMENT ON ALL DINGHIES


















### LT-DX DINGHY SERIES



	LT-2DX	LT-3DX	LT-4DX
LENGTH OVERALL INSIDE	8' (244 cm.) 5'11" (180 cm.)	8'8" (264 cm.) 6'7" (200 cm.)	9'5" (287 cm.) 7'1" (215 cm.)
BEAM OVERALL INSIDE	4'1" (125 cm.) 2' (61 cm.)	4'1" (125 cm.) 2' (61 cm.)	4'7" (140 cm.) 2'3" (68 cm.)
STOWED BOAT	3'2" x 1'5" x 11" 97 x 42 x 28 cm.	3'2" x 1'7" x 1' 97 x 47 x 30 cm.	3'6" x 1'8" x 1' 106 x 50 x 30 cm.
TUBE DIAMETER	12.6" (32 cm.)	12.6" (32 cm.)	14.2" (36 cm.)
WEIGHT	44 lbs. (20 kg.)	53 lbs. (24 kg.)	64 lbs. (29 kg.)
LOADING CAPACITY	680 lbs. (310 kg.)	700 lbs. (320 kg.)	990 lbs. (450 kg.)
PERSON CAPACITY	2	3	4
MAXIMUM HP.	3.5 Standard shaft	3.5 Standard shaft	4 Standard shaft
NO. OF AIR CHAMBERS	2	2	3
COLOR	Yellow/Grey	Yellow/Grey	Yellow/Grey



### LT-2 DINGHY








	LT-2
LENGTH OVERALL INSIDE	7'1" (215 cm.) 5'1" (155 cm.)
BEAM OVERALL INSIDE	4'0" (120 cm.) 2' (60 cm.)
STOWED BOAT	2'7" x 1'6" x 9" 79 x 46 x 22 cm.
EDIAMETER	11.8" (30 cm.)
GHT	30 lbs. (14 kg.)
LOADING CAPACITY	530 lbs. (240 kg.)
PERSON CAPACITY	2
MAXIMUM HP.	2 Standard shaft
NO. OF AIR CHAMBERS	2 plus thwart
COLOR	Red •



LT-2

### **DT AND ST DINGHY SERIES**





DT-2	DT-4
8'4" (254 cm.) 5'9" (175 cm.)	9'5" (287 cm.) 6'7" (200 cm.)
4'1" (125 cm.) 2'2" (65 cm.)	4'7" (140 cm.) 2'4" (70 cm.)
3'2" x 1'8" x 1' 97 x 51 x 30 cm.	3'5" x 1'6" x 1'1" 105 x 46 x 32 cm.
11.8" (30 cm.)	13.8" (35 cm.)
58 lbs. (26 kg.)	70 lbs. (32 kg.)
570 lbs. (260 kg.)	900 lbs. (410 kg.)
2/3	4
3.5 Standard shaft	4 Standard shaft
2	3
Red or Grey	Red or Grey
	8'4" (254 cm.) 5'9" (175 cm.) 4'1" (125 cm.) 2'2" (65 cm.) 3'2" x 1'8" x 1' 97 x 51 x 30 cm. 11.8" (30 cm.) 58 lbs. (26 kg.) 570 lbs. (260 kg.) 2/3 3.5 Standard shaft



	ST-4
	9'5" (287 cm.) 6'7" (200 cm.)
	4'7" (140 cm.) 2'4" (70 cm.)
	3′5″ x 1′6″ x 1′1″ 105 x 46 x 32 cm.
	13.8" (35 cm.)
	81 lbs. (37 kg.)
	900 lbs. (410 kg.)
	4
	4 Standard shaft
	3 plus thwart
	Grey or Grey/Red   (1)

### **RIVERBOATS**



Achilles makes a complete line of riverboats for both professional outfitters and individual river-runners. Combining the world's most advanced inflatable craft technology with the expertise of top river-runners everywhere, Achilles has produced over fifteen models of rafts which provide every edge on the river. In addition to a high concentration of Hypalon over a tough nylon base, many additional standard features are built into every raft to add to meir durability. Super strong floor, benches, reinforced seams, and specially designed reinforced "D" rings are all standard on Achilles white water rafts. We put everything into our rafts in the factory so you can get everything out of them on the river. Send for our Riverboat brochure.

### **FOUL WEATHER** SUIT



For 100% waterproof protection, you need Achilles AS-400 Foul Weather Suits. Made from a super-protective, watertight coating of Neoprene over a tough 210-denier nylon shell and fully lined with taffeta, these suits represent the latest in foul weather fabric technology. All seams are heat-sealed for watertight strength. All closures are non-corrosive plastic or velcro. Available in a full range of sizes and colors for men and women.

### WORKBOATS



Achilles produces a line of rugged workboats ranging up to 18 feet in length and 3,960 lbs. in load capacity. The Achilles SU Workboats are made with the same unique six-ply technique as our SH Boats for unparalleled strength and offer a variety of industrial features. Sturdy, lightweight aluminum floorboards, extra-heavy duty "D" rings inside and out, euper wide tube diameters, recessed inflation valves, extra

He rubbing strake and many other features make Achilles workboats the best commercial grade inflatables available. Send for the Achilles Workboat brochure.

### LIFERAFTS




Achilles distributes a line of high quality liferafts. These four, six and eight-man liferafts are available with either a single or double floor and feature water ballast for superior stability in rough seas. Compact and easy to store, Achilles liferafts represent the latest technology and are of commercial grade quality. They are made of Neoprene to insure airtightness and come in black with canopies of international orange. Send for our Liferaft brochure.

### **ACCESSORIES**

# SPORTBOATS AND SPORT




STEERING CONSOLE AND SEAT FOR BOATS 14" OR LARGER




BOW HOLDALL



LAUNCHING WHEELS



STEERING SYSTEM



ALUMINUM FLOORBOARDS LIGHTWEIGHT AND NON-CORROSIVE. (SR, SD, 124, 140, 156, ONLY)

**INFLATABLE THWART** SPECIFY YOUR BOAT MODEL NUMBER



WOODEN SEAT FOR LS/LT SERIES



WOODEN SEAT FOR ALL SPORTBOATS SPECIFY YOUR BOAT MODEL NUMBER



MULTI-POSITIONAL FORMED FOLDING SEAT



INFLATABLE SEAT WITH BACKREST

### **DINGHIES**



CARRY BAG FOR FLOORBOARDS



ADDITIONAL INFLATABLE THWART (LS AND LT SERIES)

### AJL BOATS



**BELOW SEAT HOLDALL** 





DIAL PRESSURE GAUGE REGISTRATION PLATE ATTACHMENT



PENCIL PRESSURE GAUGE



FISHING POLE HOLDER



MULTI-POSITIONAL FIXING POINT FOR ACCESSORIES



FUEL TANK PAD





STAINLESS STEEL "D" RINGS (1", 1½", 2", 3") FOR FITTING EXTRA LIFELINES, LIFTING HANDLES, SLINGS, DAVIT HARNESS, ETC.

### LIMITED WARRANTY

You will find a warranty certificate and return post registration card included with your Achilles Inflatable Craft. Please fill in the required details and send the registration card to Achilles Inflatable Craft, Division of KOHKOKU USA, INC. within 15 days of purchase Denet forgette meeting the hellicity of purchase. chase. Do not forget to mention the hull identification number of your craft.

All other express statutory and implied warranties, including, without limitation, all implied warranties or merchantability, are hereby disclaimed.

All Achilles dinghies and sport dinghies are easily transported in the trunk of even a sub-compact car, and they will store at home in



a closet



The specifications of Achilles boats, equipment and accessories may change without notice.



### ACHILLES INFLATABLE CRAFT

Division of KOHKOKU USA, INC. 390 Murray Hill Parkway, East Rutherford, New Jersey 07073 U.S.A. Phone: (201) 438-6400, Telex: 133581 ACHILES ERFD 1407 80th Street, S.W., Everett, Washington 98204 U.S.A. Phone: (206) 353-7000

Manufacturer and Parent Company, Achilles Corporation No. 22 Daikyo-Cho, Shinjuku-Ku, Tokyo 160 Phone: (03) 341-5111

© 1985 KOHKOKU USA, INC.

Printed in Japan, August, 1985

**AUTHORIZED DEALER**